


MONTAJE INICIAL



The specifications can be modified without previous advise. This draft is only for informational purposes. Can be modified by the Technical Department with the aim of going through it before the erection of the crane, after checking the job site conditions and the elevation and plan drawings of the building. This drawing has been done just with informational purposes, taking in consideration the information received for such issue. So Saez Cranes has got the chance of the last decisions and can modify the attached information as well.

Grúas Sáez; S.L.

Carretera de Benijáén, Km. 5 – C.P. 30570 BENIAJÁN-MURCIA (España/Espagne/Spain)

Tlf. (+34) 968 102 884; Fax (+34) 968 837 248

CIF: ES-B 30134035

Registro Mercantil de Murcia, Tomo 2,3,1, Libro: 0; Folio: 42; Gestión: 8; Hoja: MU-4631. Inscripción:2º

El marco de trepado, tanto como las rótulas, vigas y las cartelas forman el conjunto que asegura la correcta transmisión de las reacciones y los esfuerzos generadas por la grúa al forjado del edificio, tal y como muestran las fotografías.

CONJUNTO



Marco de Trepado:



Rótulas de marco de Trepado:



Vigas de Trepado:



Cartelas de Trepado:



The specifications can be modified without previous advise. This draft is only for informational purposes. Can be modified by the Technical Department with the aim of going through it before the erection of the crane, after checking the job site conditions and the elevation and plan drawings of the building. This drawing has been done just with informational purposes, taking in consideration the information received for such issue. So Saez Cranes has got the chance of the last decisions and can modify the attached information as well.

Grúas Sáez; S.L.

Carretera de Benijáén, Km. 5 – C.P. 30570 BENIAJÁN-MURCIA (España/Espagne/Spain)

Tlf. (+34) 968 102 884; Fax (+34) 968 837 248

CIF: ES-B 30134035

Registro Mercantil de Murcia, Tomo 2,3,1, Libro: 0; Folio: 42; Gestión: 8; Hoja: MU-4631. Inscripción:2º

Cartelas de Arriostramiento: Se pueden cortar, en altura, a medida para asegurar la horizontalidad de las vigas, para su correcta transmisión de esfuerzos.

Punteras: soldar las punteras en el lugar de trabajo nos permite, poder cortar las vigas de arriostramiento a medida, en función de las necesidades del proyecto, directamente en la obra, salvando cualquier irregularidad, o modificación durante la ejecución del mismo.



Vigas de Arriostramiento: medida estándar 6 metros de longitud, para poderse cortar a medida, “in situ” .



Placa y contra placa para forjados <220 mm



Placa para forjados >220 mm



The specifications can be modified without previous advise. This draft is only for informational purposes. Can be modified by the Technical Department with the aim of going through it before the erection of the crane, after checking the job site conditions and the elevation and plan drawings of the building. This drawing has been done just with informational purposes, taking in consideration the information received for such issue. So Saez Cranes has got the chance of the last decisions and can modify the attached information as well.

Grúas Sáez; S.L.

Carretera de Benijáén, Km. 5 – C.P. 30570 BENIAJÁN-MURCIA (España/Espagne/Spain)

Tlf. (+34) 968 102 884; Fax (+34) 968 837 248

CIF: ES-B 30134035

Registro Mercantil de Murcia, Tomo 2,3,1, Libro: 0; Folio: 42; Gestión: 8; Hoja: MU-4631. Inscripción:2º